

Ref: SSS 04.1.1  
**SPECIFICATION SELECTION SHEET**  
**MODEL 043**  
**RESIDENTIAL SERVICE REGULATOR**



Energy Metering

Basic 043 Models	Description	Code
043-90	Angle Body Regulator with Standard Diaphragm Assembly	A1
043-91	Angle Body Regulator with Standard Diaphragm Assembly and Vent Valve	A2
043-92	Angle Body Regulator with Internal Relief Valve Type Diaphragm Assembly & Vent Valve	A3
043-180	Straight Through Body Regulator with Standard Diaphragm Assembly	A4
043-181	Straight Through Body Regulator with Standard Diaphragm Assembly	A5
043-182 IRV	Standard Regulator with Straight Body and Internal Relief Valve	A6

Inlet pipe diameter	Outlet pipe diameter	Code
3/4"	3/4"	B1
3/4"	1"	B2
1"	1"	B3
3/8"	3/8"	B4
3/8"	1/2"	B5
1/2"	1/2"	B6

Outlet Pressure Range	Spring Color	Code
3 1/2" w.c. to 6 1/2" w.c.	Red	C1
5" w.c. to 8 1/2" w.c.	Blue	C2
6" w.c. to 14" w.c.	Green	C3
12" w.c. to 28" w.c.	Orange	C4
1 p.s.i.g. to 2 p.s.i.g.	Black	C5

Orifice size	Code
3/8"	D1
5/16"	D2
1/4"	D3
3/16"	D4
1/8"	D5

Taps	Code
None	E1
Inlet	E2
Outlet	E3

Options	
Inlet pressure	
Outlet pressure (Set Point)	
Body Configuration Number (Position)	

Special Instructions:

Please reference specification bulletin R 1300 for full specification details.  
 Please circle your choice in each category or include code choices on your purchase order.  
 Standard Construction and Testing at Manufacturer's Recommended settings will apply unless otherwise specified above. AGA Gray paint finish is supplied unless otherwise specified.

<b>Purchase Order No.</b>	
---------------------------	--